


LIGHTING BY OTHERS. SEE NOTE FOR **DETAILS** SIDE TRIM BY TBD REMOVABLE FRONT COVER BY TBD

ELEVATION SCALE 1/2" = 1'-0"

SECTION SCALE 1/2" = 1'-0"







VERSA WALL® VTI-72 GENERAL OVERVIEW 11x17" (A3)

VER. 1.1



Weight is 10lbs/ft² 50kg/m²




TRIM Pre-finished or unfinished See gsky.com for details.



ICU BELOW WALL For 50 ft 2 / 5 m 2 to 5000 ft 2 / 500 m 2 Min width 50 ¾" / 129cm whenever possible. Require GSky's consultation for > 35' / 10.5 m height wall.

SERVICE	ᅾ	54	
MANUAL	N/A	N/A	N/A
AUTOMATED	At Wall	At Wall	At Wall

IRRIGATION It is recommended to install a drain LED or Metal Halide Lights




LIGHTING


recommended

Color Temp 4000-4500K Intensity

GV1.0

MAINT. ACCESS Walls over 40' / 12m need additional considerations. See GSky





ELEVATION SCALE 3/4" = 1'-0"

SECTION SCALE 3/4" = 1'-0"



VERSA WALL® VTI-72 IRRIGATION OVERVIEW 11x17" (A3) VER. 1.1



SIDE/TOP BOTTOM

See gsky.com for details.



For 50 ft 2 / 5 m 2 to 5000 ft 2 / 500 m 2 Min width 50 ¾" / 129cm

SERVICE	ᅾ	54	
MANUAL	N/A	N/A	N/A
AUTOMATED	At Wall	At Wall	At Wall

LIGHTING

recommended

Color Temp 4000-4500K Intensity

Duration 10-12 hrs/day

MAINT. ACCESS Walls over 40' / 12m need additional

< 13'


ок ок ок


considerations. See GSky

GV2.0

TRIM ICU BELOW WALL **IRRIGATION** Pre-finished or unfinished

It is recommended to install a drain LED or Metal Halide Lights whenever possible. Require GSky's consultation for > 35' / 10.5 m height wall.








VERSA WALL® VTI-72 MECH. LAYOUT

VER. 1.1

11x17" (A3)



Weight is 10lbs/ft² 50kg/m²

SIDE/TOP 8 1/2" воттом

TRIM Pre-finished or unfinished See gsky.com for details.



ICU BELOW WALL For 50 ft 2 / 5 m 2 to 5000 ft 2 / 500 m 2 Min width 50 ¾" / 129cm

SERVICE	Į,	54	
MANUAL	N/A	N/A	N/A
AUTOMATED	At Wall	At Wall	At Wall

IRRIGATION

It is recommended to install a drain whenever possible. Require GSky's consultation for > 35' / 10.5 m height wall.



Duration 10-12 hrs/day Color Temp 4000-4500K Intensity

LIGHTING


LED or Metal Halide Lights

recommended


ок ок ок MAINT. ACCESS Walls over 40' / 12m need additional

considerations. See GSky

GV2.1



ELEVATION SCALE 1 1/2" = 1'-0"





VERSA WALL® **VTI-72 IRRIGATION LAYOUT** 11x17" (A3) VER. 1.1



Weight is 10lbs/ft² 50kg/m²

SIDE/TOP 8 1/2" воттом

TRIM


Pre-finished or unfinished

See gsky.com for details.



ICU BELOW WALL For 50 ft 2 / 5 m 2 to 5000 ft 2 / 500 m 2 Min width 50 ¾" / 129cm

SERVICE	T,	5 4	
MANUAL	N/A	N/A	N/A
AUTOMATED	At Wall	At Wall	At Wall



LIGHTING


recommended

ок ок ок

GV2.2 MAINT. ACCESS Walls over 40' / 12m need additional

IRRIGATION

It is recommended to install a drain whenever possible. Require GSky's consultation for > 35' / 10.5 m height wall.





VERSA WALL®
VTI-72 TRAY LAYOUT

VER. 1.1

11x17" (A3)



2" SIDE/TOP
8 1/2" BOTTOM

TRIM

Pre-finished or unfinished

See gsky.com for details.



ICU BELOW WALL For 50 ft² / 5 m² to 5000 ft² / 500 m² Min width 50 ¾" / 129cm

SERVICE	T,	5 4	
MANUAL	N/A	N/A	N/A
AUTOMATED	At Wall	At Wall	At Wall

IRRIGATION

It is recommended to install a drain whenever possible. Require GSky's consultation for > 35' / 10.5 m height wall.



LIGHTING

LED or Metal Halide Lights

recommended

Duration
10-12 hrs/day
Color Temp
4000-4500K
Intensity


considerations. See GSky


> 13' OK OK OK

MAINT. ACCESS

Walls over 40' / 12m need additional

GV3.0







VERSA WALL®

VTI-72 DETAILS

VER. 1.1

11x17" (A3)



Weight is 10lbs/ft² 50kg/m²

2" SIDE/TOP

8 1/2" BOTTOM

See gsky.com for details.

TRIM
Pre-finished or unfinished



ICU BELOW WALL For 50 ft² / 5 m² to 5000 ft² / 500 m² Min width 50 ¾" / 129cm

SERVICE	T,	\ <u>\$</u>	
MANUAL	N/A	N/A	N/A
AUTOMATED	At Wall	At Wall	At Wall

IRRIGATION

It is recommended to install a drain whenever possible. Require GSky's consultation for > 35' / 10.5 m height wall.



Duration
10-12 hrs/day
Color Temp
4000-4500K
Intensity
150fc / 1500 lux

LIGHTING
LED or Metal Halide Lights

recommended

8' OK
 13' OK OK
 > 13' OK OK OK

considerations. See GSky

MAINT. ACCESS
Walls over 40' / 12m need additional

GV3.1